

Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 2/17/2026
Report Date: 2/20/2026
NELabs Report ID: 26100559-04

PRINF0.7g-SDD-021626

Biotrack ID: SUNSHINE DAYDREAM Infused 0.7 x 3

2626 1957 9797 8461

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)*	Dosing (mg/package)
CBDV	-	-
CBDA	<LOQ	<LOQ
CBGA	0.23	4.5
CBG	0.47	9.0
CBD	<LOQ	<LOQ
THCV	0.12	2.4
CBN	0.30	5.7
Δ ⁹ THC	14.72	284.4
Δ ⁸ THC	-	-
CBL	-	-
THCA	21.71	419.4
CBC	0.19	3.6
Total Cannabinoids	37.74	729.0
Total THC %_{(0.877*THCA)+THC}	33.76	

Terpenes	Results (% w/w)*
α-Pinene	0.04
Camphene	0.02
β-Myrcene	0.28
β-Pinene	0.08
δ-3-Carene	-
Limonene	0.56
p-Cymene	-
α-Terpinolene	0.02
Linalool	0.45
Caryophyllene	0.66
α-Humulene	0.28
α-Bisabolol	-
Terpinene (total)	-
Ocimene (total)	0.03
Nerolidol (total)	0.12
Total Terpenes	2.54

* % by dry weight

Moisture

Results

Water Content (% w/w)	8.0
Water Activity (Aw)	0.37



Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 2/17/2026
Report Date: 2/20/2026
NELabs Report ID: 26100559-04

PRINF0.7g-SDD-021626

Biotrack ID: SUNSHINE DAYDREAM Infused 0.7 x 3

2626 1957 9797 8461

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 2/17/2026

DATE 2/20/2026	Reviewed by <i>Selena Anderson</i> Selena Anderson, QA/QC	Released by <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
--------------------------	---	---

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

