

Theraplant  
856 Echo Lake Rd.  
Watertown, CT 06795

Date Received: 1/12/2026  
Report Date: 1/15/2026  
NELabs Report ID: 26100211-01

**Grand Pappy's Chillemon MT 41568**

Biotrack ID: Grand Pappy's Chillemon MT 41568

0692 6617 5732 1347

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

Cannabinoids	By HPLC	
	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	-	-
CBG	2.11	21.1
CBD	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	<LOQ	<LOQ
$\Delta^9$ THC	89.95	899.5
$\Delta^8$ THC	-	-
CBL	-	-
THCA	-	-
CBC	-	-
Total Cannabinoids	<b>92.06</b>	<b>920.6</b>
Total THC % <small>(0.877*THCA)+THC</small>	<b>89.95</b>	

Terpenes	By GC - MS
	Results (% w/w)
$\alpha$ -Pinene	0.02
Camphene	-
$\beta$ -Myrcene	0.27
$\beta$ -Pinene	0.03
$\delta$ -3-Carene	-
Limonene	0.21
p-Cymene	-
$\alpha$ -Terpinolene	0.31
Linalool	0.23
Caryophyllene	0.29
$\alpha$ -Humulene	0.12
$\alpha$ -Bisabolol	-
Terpinene (total)	-
Ocimene (total)	0.15
Nerolidol (total)	-
Total Terpenes	<b>1.63</b>



Theraplant  
856 Echo Lake Rd.  
Watertown, CT 06795

Date Received: 1/12/2026  
Report Date: 1/15/2026  
NELabs Report ID: 26100211-01

**Grand Pappy's Chillemon MT 41568**

Biotrack ID: Grand Pappy's Chillemon MT 41568

0692 6617 5732 1347

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 1/12/2026

<b>DATE</b> 1/15/2026	<b>Reviewed by</b> <i>Selena Anderson</i> Selena Anderson, QA/QC	<b>Released by</b> <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
--------------------------	--	--

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).  
Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

