

Advanced Grow Labs
400 Frontage Rd.
West Haven, CT 06516

Date Received: 4/13/2026
Report Date: 4/16/2026
NELabs Report ID: 26101114-02

ECSDxDZ-260410-BD-6020-1000

Biotrack ID: INTERMEDIATE AGL 1g Vape ECSD x Durban Z (S)

6463 8300 6287 1268

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC			By GC - MS	
Cannabinoids	Results (% w/w)	Dosing (mg/package)	Terpenes	Results (% w/w)
CBDV	-	-	α-Pinene	0.10
CBDA	-	-	Camphene	-
CBGA	-	-	β-Myrcene	0.85
CBG	3.51	35.1	β-Pinene	0.22
CBD	<LOQ	<LOQ	δ-3-Carene	0.04
THCV	<LOQ	<LOQ	Limonene	1.18
CBN	1.15	11.5	p-Cymene	-
Δ ⁹ THC	81.39	813.9	α-Terpinolene	1.10
Δ ⁸ THC	-	-	Linalool	0.30
CBL	-	-	Caryophyllene	1.05
THCA	-	-	α-Humulene	0.46
CBC	0.82	8.2	α-Bisabolol	-
Total Cannabinoids	86.87	868.7	Terpinene (total)	0.04
			Ocimene (total)	0.59
			Nerolidol (total)	0.07
Total THC % <small>(0.877*THCA)+THC</small>	81.39		Total Terpenes	6.00



Advanced Grow Labs
400 Frontage Rd.
West Haven, CT 06516

Date Received: 4/13/2026
Report Date: 4/16/2026
NELabs Report ID: 26101114-02

ECSDxDZ-260410-BD-6020-1000

Biotrack ID: INTERMEDIATE AGL 1g Vape ECSD x Durban Z (S)

6463 8300 6287 1268

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 4/13/2026

DATE 4/16/2026	Reviewed by <i>Selena Anderson</i> Selena Anderson, QA/QC	Released by <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
--------------------------	---	---

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

