

CTPharma
280 Dividend Rd.
Rocky Hill, CT 06067

Date Received: 3/12/2026
Report Date: 3/17/2026
NELabs Report ID: 26100786-02

RC0300

Biotrack ID: DEEP BLUE GAS LIVE ROSIN VAPE

1201 4921 6962 3897

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	-	-
CBG	1.51	7.6
CBD	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	-	-
Δ^9 THC	79.62	398.1
Δ^8 THC	-	-
CBL	-	-
THCA	-	-
CBC	1.15	5.8
Total Cannabinoids	82.28	411.5
Total THC % $(0.877 \times \text{THCA}) + \text{THC}$	79.62	

Terpenes	Results (% w/w)
α -Pinene	0.35
Camphene	0.02
β -Myrcene	1.22
β -Pinene	0.48
δ -3-Carene	0.24
Limonene	0.53
p-Cymene	-
α -Terpinolene	3.49
Linalool	0.16
Caryophyllene	1.29
α -Humulene	0.44
α -Bisabolol	-
Terpinene (total)	0.45
Ocimene (total)	0.86
Nerolidol (total)	0.14
Total Terpenes	9.67



CTPharma
280 Dividend Rd.
Rocky Hill, CT 06067

Date Received: 3/12/2026
Report Date: 3/17/2026
NELabs Report ID: 26100786-02

RC0300

Biotrack ID: DEEP BLUE GAS LIVE ROSIN VAPE

1201 4921 6962 3897

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 3/12/2026

DATE	Reviewed by	Released by
3/17/2026	<i>Selena Anderson</i>	<i>Zachary Cannone</i>
	Selena Anderson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

