

CTPharma
280 Dividend Rd.
Rocky Hill, CT 06067

Date Received: 1/27/2026
Report Date: 1/30/2026
NELabs Report ID: 26100357-04

HE0287-1

Biotrack ID: SUNNY STOMPER LIVE RESIN AIO 1G VAPE

3649 9355 7013 0955

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	0.81	8.1
CBG	1.52	15.2
CBD	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	<LOQ	<LOQ
Δ^9 THC	80.00	800.0
Δ^8 THC	1.23	12.3
CBL	-	-
THCA	3.50	35.0
CBC	<LOQ	<LOQ
Total Cannabinoids	87.06	870.6
Total THC % $(0.877 \times \text{THCA}) + \text{THC}$	84.30	

Terpenes	Results (% w/w)
α -Pinene	0.06
Camphene	0.05
β -Myrcene	1.66
β -Pinene	-
δ -3-Carene	-
Limonene	1.00
p-Cymene	-
α -Terpinolene	0.08
Linalool	0.24
Caryophyllene	0.69
α -Humulene	0.30
α -Bisabolol	-
Terpinene (total)	-
Ocimene (total)	0.62
Nerolidol (total)	0.13
Total Terpenes	4.83



CTPharma
280 Dividend Rd.
Rocky Hill, CT 06067

Date Received: 1/27/2026
Report Date: 1/30/2026
NELabs Report ID: 26100357-04

HE0287-1

Biotrack ID: SUNNY STOMPER LIVE RESIN AIO 1G VAPE

3649 9355 7013 0955

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 1/27/2026

DATE 1/30/2026	Reviewed by <i>Selena Anderson</i> Selena Anderson, QA/QC	Released by <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
-------------------	---	---

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

