

CTPharma
280 Dividend Rd.
Rocky Hill, CT 06067

Date Received: 1/8/2026
Report Date: 1/13/2026
NELabs Report ID: 26100182-06

RC0290

Biotrack ID: HEIR HEADS LIVE ROSIN VAPE

9202 7894 4437 5457

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

Cannabinoids	By HPLC	
	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	-	-
CBG	1.69	8.5
CBD	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	-	-
Δ^9 THC	79.15	395.8
Δ^8 THC	-	-
CBL	-	-
THCA	-	-
CBC	0.93	4.7
Total Cannabinoids	81.77	409.0
Total THC % <small>(0.877*THCA)+THC</small>	79.15	

Terpenes	By GC - MS
	Results (% w/w)
α -Pinene	0.18
Camphene	0.06
β -Myrcene	0.28
β -Pinene	0.21
δ -3-Carene	-
Limonene	1.18
p-Cymene	-
α -Terpinolene	0.02
Linalool	1.18
Caryophyllene	2.31
α -Humulene	0.88
α -Bisabolol	-
Terpinene (total)	-
Ocimene (total)	0.02
Nerolidol (total)	0.70
Total Terpenes	7.02



CTPharma
280 Dividend Rd.
Rocky Hill, CT 06067

Date Received: 1/8/2026
Report Date: 1/13/2026
NELabs Report ID: 26100182-06

RC0290

Biotrack ID: HEIR HEADS LIVE ROSIN VAPE

9202 7894 4437 5457

Pesticides	Results	Limits	Methods
Per Sample \geq 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results ($\mu\text{g}/\text{kg}$)	Limits ($\mu\text{g}/\text{kg}$)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 1/8/2026

DATE 1/13/2026	Reviewed by <i>Selena Anderson</i> Selena Anderson, QA/QC	Released by <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
--------------------------	--	--

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

