

Theraplant
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 3/25/2026
Report Date: 3/30/2026
NELabs Report ID: 26100936-03

Splits Lemon HDZ x Garlic Ckies 2g Dual Chamber Vape (I) 41802

Biotrack ID: Splits Lemon HDZ x Garlic Ckies 2g Dual Chamber (I) 41802 0357 8624 0173 4335

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

Cannabinoids	By HPLC	
	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	-	-
CBG	2.21	22.1
CBD	<LOQ	<LOQ
THCV	0.72	7.2
CBN	<LOQ	<LOQ
Δ^9 THC	89.93	899.3
Δ^8 THC	-	-
CBL	-	-
THCA	-	-
CBC	-	-
Total Cannabinoids	92.86	928.6
Total THC % <small>(0.877*THCA)+THC</small>	89.93	

Terpenes	By GC - MS
	Results (% w/w)
α -Pinene	0.02
Camphene	-
β -Myrcene	0.02
β -Pinene	0.03
δ -3-Carene	-
Limonene	0.27
p-Cymene	-
α -Terpinolene	-
Linalool	0.14
Caryophyllene	0.96
α -Humulene	0.27
α -Bisabolol	-
Terpinene (total)	-
Ocimene (total)	-
Nerolidol (total)	-
Total Terpenes	1.71



Theraplant
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 3/25/2026
Report Date: 3/30/2026
NELabs Report ID: 26100936-03

Splits Lemon HDZ x Garlic Ckies 2g Dual Chamber Vape (I) 41802

Biotrack ID: Splits Lemon HDZ x Garlic Ckies 2g Dual Chamber (I) 41802 0357 8624 0173 4335

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 3/25/2026

DATE 3/30/2026	Reviewed by <i>Selena Anderson</i> Selena Anderson, QA/QC	Released by <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
--------------------------	--	--

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

