

Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 3/27/2026
Report Date: 4/1/2026
NELabs Report ID: 26100965-02

BPBHOVape1g-032526

Biotrack ID: Bachelor Party BHO Vape (1g)

7745 3005 3406 3642

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

Cannabinoids	By HPLC	
	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	<LOQ	<LOQ
CBG	3.34	33.4
CBD	<LOQ	<LOQ
THCV	3.04	30.4
CBN	<LOQ	<LOQ
Δ^9 THC	81.06	810.6
Δ^8 THC	-	-
CBL	-	-
THCA	-	-
CBC	1.01	10.1
Total Cannabinoids	88.45	884.5
Total THC % <small>(0.877*THCA)+THC</small>	81.06	

Terpenes	By GC - MS
	Results (% w/w)
α -Pinene	0.30
Camphene	0.07
β -Myrcene	0.80
β -Pinene	0.04
δ -3-Carene	-
Limonene	2.09
p-Cymene	-
α -Terpinolene	0.07
Linalool	1.48
Caryophyllene	1.38
α -Humulene	0.71
α -Bisabolol	-
Terpinene (total)	-
Ocimene (total)	0.12
Nerolidol (total)	0.18
Total Terpenes	7.24



Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 3/27/2026
Report Date: 4/1/2026
NELabs Report ID: 26100965-02

BPBHOVape1g-032526

Biotrack ID: Bachelor Party BHO Vape (1g)

7745 3005 3406 3642

Pesticides	Results	Limits	Methods
Per Sample \geq 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results ($\mu\text{g}/\text{kg}$)	Limits ($\mu\text{g}/\text{kg}$)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 3/27/2026

DATE 4/1/2026	Reviewed by <i>Selena Anderson</i> Selena Anderson, QA/QC	Released by <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
-------------------------	---	---

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

