

Connecticut Contract Manufacturing LLC  
1244 Old Clinton Road  
Westbrook, CT 06498

Date received: 10/15/2024  
Report Date: 10/30/2024  
NELabs Report ID: N2495079-01

**Wildberry**

Biotrack ID: Camino-Wild Berry-20ct

1180 9115 3656 8291

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu)	<100	100,000	AOAC 2014.05
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	qPCR
Pass/Fail	Pass		

By HPLC		
Cannabinoids	Results (% w/w)	Dosing (mg/unit)
CBDV	<LOQ	<1
CBDA		
CBGA		
CBG	0.003	2
CBD	<LOQ	<1
THCV	<LOQ	<1
CBN	0.002	2
$\Delta^9$ THC	0.132	98
$\Delta^8$ THC		
CBL	<LOQ	<1
THCA		
CBC		
Total Cannabinoids	<b>0.137</b>	<b>102</b>
Total THC % <small>(0.877*THCA)+THC</small>	<b>0.132</b>	

By GC - MS	
Terpenes	Results (% w/w)
$\alpha$ -Pinene	
$\beta$ -Myrcene	
$\beta$ -Pinene	
Limonene	
$\alpha$ -Terpinolene	
Linalool	
$\beta$ -Caryophyllene	
$\alpha$ -Humulene	
Caryophyllene Oxide	
$\alpha$ -Bisabolol	
Total Terpenes	<b>Below Detection</b>

Moisture	Results
Water Activity (Aw)	0.76

Edible Dosing	Results
Average weight	3.6959
THC per edible	4.9



Connecticut Contract Manufacturing LLC  
 30 Cold Spring Rd.  
 Rocky Hill, CT 06067

Date received: 10/15/2024  
 Report Date: 10/30/2024  
 NELabs Report ID: N2495079-01

### Wildberry

Biotrack ID: Camino-Wild Berry-20ct

1180 9115 3656 8291

Pesticides	Results	Limits	Methods
Per Sample $\geq$ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

  

Mycotoxins	Results ( $\mu\text{g}/\text{kg}$ )	Limits ( $\mu\text{g}/\text{kg}$ )	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

  

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

  

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 10/15/2024

<b>DATE</b> 10/30/2024	<b>Reviewed by</b>  Garrett Johnson, QA/QC	<b>Released by</b>  Zackary Cannone, Laboratory Director
---------------------------	---	---

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).  
 Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

