

Theraplant
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 6/8/2026
Report Date: 6/11/2026
NELabs Report ID: 26101792-02

Ease MT 42042

Biotrack ID: Ease MT 42042

5570 3771 3272 9269

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	<LOQ	<LOQ
CBDA	2.75	13.8
CBGA	-	-
CBG	1.96	9.8
CBD	37.20	186.0
THCV	-	-
CBN	4.66	23.3
Δ^9 THC	13.25	66.3
Δ^8 THC	-	-
CBL	-	-
THCA	-	-
CBC	2.57	12.9
Total Cannabinoids	62.39	312.1
Total THC % $(0.877 \times \text{THCA}) + \text{THC}$	13.25	

By GC - MS

Terpenes	Results (% w/w)
α -Pinene	0.52
Camphene	-
β -Myrcene	0.46
β -Pinene	0.17
δ -3-Carene	-
Limonene	0.32
p-Cymene	-
α -Terpinolene	0.10
Linalool	0.08
Caryophyllene	0.30
α -Humulene	0.10
α -Bisabolol	-
Terpinene (total)	-
Ocimene (total)	0.17
Nerolidol (total)	-
Total Terpenes	2.22



Theraplant
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 6/8/2026
Report Date: 6/11/2026
NELabs Report ID: 26101792-02

Ease MT 42042

Biotrack ID: Ease MT 42042

5570 3771 3272 9269

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 6/8/2026

DATE 6/11/2026	Reviewed by <i>Selena Anderson</i> Selena Anderson, QA/QC	Released by <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
-------------------	---	---

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

