NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Curaleaf LLC
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 8/20/2026
Report Date: 8/25/2026
NELabs Report ID: 26102725-06

260818DL-BD-B2

Biotrack ID: Blue Dream Briq-2.0g Packaged Units 6029 0528 8348 2230

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic *E. coli*	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing *E. coli*	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	-	-
CBG	2.80	56.0
CBD	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	<LOQ	<LOQ
Δ^9 THC	86.77	1735.4
Δ^8 THC	-	-
CBL	-	-
THCA	-	-
CBC	<LOQ	<LOQ
Total Cannabinoids	**89.57**	**1791.4**
Total THC % $_{(0.877*THCA)+THC}$	**86.77**	

By GC - MS

Terpenes	Results (% w/w)
α-Pinene	1.80
Camphene	0.05
β-Myrcene	1.47
β-Pinene	0.65
δ-3-Carene	-
Limonene	1.06
p-Cymene	-
α-Terpinolene	0.38
Linalool	-
Caryophyllene	0.76
α-Humulene	0.28
α-Bisabolol	-
Terpinene (total)	-
Ocimene (total)	0.77
Nerolidol (total)	-
Total Terpenes	**7.22**

NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Curaleaf LLC
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 8/20/2026
Report Date: 8/25/2026
NELabs Report ID: 26102725-06

260818DL-BD-B2

Biotrack ID: Blue Dream Briq-2.0g Packaged Units 6029 0528 8348 2230

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 8/20/2026

DATE	Reviewed by	Released by
8/25/2026	Selena Anderson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

ISO/IEC 17025:2017 Accredited
PJLA