NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 9/29/2026
Report Date: 10/2/2026
NELabs Report ID: 26103222-02

BLDHTVape 1g-092826

Biotrack ID: Hemp Vape, 1g - Blue Dream 1620 5113 3829 7568

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic *E. coli*	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing *E. coli*	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	-	-
CBG	2.05	20.5
CBD	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	3.25	32.5
Δ^9 THC	80.60	806.0
Δ^8 THC	-	-
CBL	-	-
THCA	-	-
CBC	1.16	11.6
Total Cannabinoids	**87.06**	**870.6**
Total THC % $_{(0.877*THCA)+THC}$	**80.60**	

By GC - MS

Terpenes	Results (% w/w)
α-Pinene	1.65
Camphene	0.05
β-Myrcene	1.23
β-Pinene	0.55
δ-3-Carene	-
Limonene	0.86
p-Cymene	-
α-Terpinolene	0.31
Linalool	0.28
Caryophyllene	0.64
α-Humulene	0.29
α-Bisabolol	-
Terpinene (total)	-
Ocimene (total)	0.63
Nerolidol (total)	-
Total Terpenes	**6.49**

NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 9/29/2026
Report Date: 10/2/2026
NELabs Report ID: 26103222-02

BLDHTVape 1g-092826

Biotrack ID: Hemp Vape, 1g - Blue Dream 1620 5113 3829 7568

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 9/29/2026

DATE	Reviewed by	Released by
10/2/2026	Selena Anderson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

ISO/IEC 17025:2017 Accredited
PJLA