NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Theraplant
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 9/15/2026
Report Date: 9/24/2026
NELabs Report ID: 26103117-03

Tropic Cherry Liquid Diamonds AiroX2 All-In- One Hybrid 42298

Biotrack ID: Tropic Cherry Liquid Diamonds AiroX2 All-In- One Hybrid 42298 8554 0162 5122 9813

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic *E. coli*	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing *E. coli*	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	0.74	14.8
CBG	2.60	52.0
CBD	<LOQ	<LOQ
THCV	0.74	14.8
CBN	<LOQ	<LOQ
Δ^9 THC	82.40	1648.0
Δ^8 THC	-	-
CBL	-	-
THCA	3.67	73.4
CBC	-	-
Total Cannabinoids	**90.15**	**1803.0**
Total THC % $_{(0.877*THCA)+THC}$	**85.62**	

By GC - MS

Terpenes	Results (% w/w)
α-Pinene	-
Camphene	-
β-Myrcene	0.11
β-Pinene	-
δ-3-Carene	-
Limonene	0.22
p-Cymene	-
α-Terpinolene	0.23
Linalool	0.20
Caryophyllene	0.34
α-Humulene	0.15
α-Bisabolol	-
Terpinene (total)	-
Ocimene (total)	-
Nerolidol (total)	-
Total Terpenes	**1.25**

NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Theraplant
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 9/15/2026
Report Date: 9/24/2026
NELabs Report ID: 26103117-03

Tropic Cherry Liquid Diamonds AiroX2 All-In- One Hybrid 42298

Biotrack ID: Tropic Cherry Liquid Diamonds AiroX2 All-In- One Hybrid 42298 8554 0162 5122 9813

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 9/15/2026

DATE	Reviewed by	Released by
9/24/2026	Selena Anderson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

ISO/IEC 17025:2017 Accredited
PJLA