NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Nutmeg New Britain
1 Hartford Square 16s
New Britain, CT 06052

Date Received: 8/21/2026
Report Date: 8/26/2026
NELabs Report ID: 26102755-02

HE19-4963-SGC-B

Biotrack ID: Chemical Fever 1g All in One Vape (H) 00684 5385 2759 5784 9045

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic *E. coli*	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing *E. coli*	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	-	-
CBG	1.86	18.6
CBD	<LOQ	< LOQ
THCV	<LOQ	< LOQ
CBN	<LOQ	< LOQ
Δ^9 THC	83.52	835.2
Δ^8 THC	-	-
CBL	-	-
THCA	-	-
CBC	-	-
Total Cannabinoids	**85.38**	**853.8**
Total THC % $_{(0.877*THCA)+THC}$	**83.52**	

By GC - MS

Terpenes	Results (% w/w)
α-Pinene	-
Camphene	-
β-Myrcene	0.09
β-Pinene	-
δ-3-Carene	-
Limonene	0.32
p-Cymene	-
α-Terpinolene	-
Linalool	0.51
Caryophyllene	1.96
α-Humulene	0.76
α-Bisabolol	-
Terpinene (total)	-
Ocimene (total)	-
Nerolidol (total)	0.36
Total Terpenes	**4.00**

NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Nutmeg New Britain
1 Hartford Square 16s
New Britain, CT 06052

Date Received: 8/21/2026
Report Date: 8/26/2026
NELabs Report ID: 26102755-02

HE19-4963-SGC-B

Biotrack ID: Chemical Fever 1g All in One Vape (H) 00684 5385 2759 5784 9045

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 8/21/2026

DATE	Reviewed by	Released by
8/26/2026	Selena Anderson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

ISO/IEC 17025:2017 Accredited
PJLA