NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Lucky Break
380 Mountain Grove St.
Bridgeport, CT 06605

Date Received: 10/23/2026
Report Date: 10/27/2026
NELabs Report ID: 26103534-01

Astro Dark Chocolate Saucers 0193

Biotrack ID: Astro Dark Chocolate Saucers 0193 7134 7877 1020 5627

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	n/a	n/a	qPCR
Enteropathogenic *E. coli*	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing *E. coli*	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	-	-
CBG	<LOQ	<LOQ
CBD	-	-
THCV	-	-
CBN	<LOQ	<LOQ
Δ^9 THC	0.095	95.0
Δ^8 THC	-	-
CBL	-	-
THCA	-	-
CBC	-	-
Total Cannabinoids	**0.095**	**95.0**
Total THC % $_{(0.877*THCA)+THC}$	**0.095**	

By GC - MS

Terpenes	Results (% w/w)
α-Pinene	-
Camphene	-
β-Myrcene	-
β-Pinene	-
δ-3-Carene	-
Limonene	-
p-Cymene	-
α-Terpinolene	-
Linalool	-
Caryophyllene	-
α-Humulene	-
α-Bisabolol	-
Terpinene (total)	-
Ocimene (total)	-
Nerolidol (total)	-
Total Terpenes	**Below Detection**

Moisture	Results
Water Content (% w/w)	--
Water Activity (Aw)	0.35

Edible Dosing	Results
Average weight (g)	1.9632
THC (mg)	1.9

NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Lucky Break
380 Mountain Grove St.
Bridgeport, CT 06605

Date Received: 10/23/2026
Report Date: 10/27/2026
NELabs Report ID: 26103534-01

Astro Dark Chocolate Saucers 0193

Biotrack ID: Astro Dark Chocolate Saucers 0193 7134 7877 1020 5627

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Alcohol (Ethanol)	Below Action Limits	5000 ppm	GC - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 10/23/2026

DATE	Reviewed by	Released by
10/27/2026	Selena Anderson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

ISO/IEC 17025:2017 Accredited
PJLA